
ALL-LITE

EFD-245
Extruded Aluminum Louver

Extruded Aluminum Louver 2" deep • 45° Drainable Blade



Ratings

Free Area: $[48" \times 48" (1219 \times 1219) \text{ unit}]: 7.4 \text{ ft}^2 (0.69 \text{ m}^2)$

46.1%

Performance @ Beginning Point of Water Penetration

Free Area Velocity: 868 fpm (4.41 m/s)

Air Volume Delivered: 6,404 cfm (3.02 m³/s)

Pressure Loss: 0.12 in.wg. (30 Pa)

Velocity @ 0.15 in.wg. Pressure Loss: 968 fpm (4.92 m/s)





Certified Ratings:

Pottorff certifies that the model EFD-245 shown herein is licensed to bear the AMCA seal. The ratings shown are based on test and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to air performance and water penetration ratings.

The EFD-245 drainable blade louver is designed to prevent water penetration in non-wind-driven rain applications by collecting water in frame and blade gutters and channeling it into downspouts and away from airflow paths. The EFD-245 is available in a wide array of anodized and painted finishes including custom color matching.

Standard Construction

Material: Mill finish 6063-T5 extruded aluminum **Frame:** 2" deep \times 0.060" thick (51 \times 1.5) channel **Blades:** $45^{\circ} \times 0.060^{\circ}$ (1.5) thick drainable style **Screen:** 1/2" \times 0.063" (12.7 \times 1.6) expanded and

flattened aluminum

Mullion: Visible

Minimum Size: $4.5" \times 5" (114 \times 127)$

Maximum Size:

Single section: $60" \times 120" (1524 \times 3048)$

120" × 60" (3048 × 1524)

Multiple section: Unlimited

Options

■ Factory finish:

- High Performance Fluoropolymer
- Baked Enamel
 Prime Coat
- Clear Anodize
 Integral Color Anodize

■ Frame Options:

- 1-1/2" (38) flange frame
- Stucco flange
 Glazing frame

■ Installation Hardware

- Clip angles
 Continuous angles
- Hidden Vertical Mullion
- Alternate bird or insect screens
- Insulated or non-insulated blank-off panels
- Filter racks
- Hinged frame
- Subframe
- Head and/or sill flashing
- Burglar bars
- **■** Frame closure
- Net OD (actual size)

NOTE: Dimensions in parentheses () are millimeters. Information is subject to change without notice or obligation.

PERFORMANCE

EFD-245Extruded Aluminum Louver 2" deep • 45° Drainable Blade

Free Area (ft²)

78

84

90

96

102 108

114

120

1.2

1.3

1.4

1.5

1.6

1.6

1.7

1.8

2.8

3.0

3.2

3.4

3.6

3.8

4.1

4.3

4.3

4.7

5.0

5.4

5.7

6.0

6.4

6.8

5.9

6.4

6.8

7.3

7.8

8.2

8.7

7.5

8.1

8.6

9.3

9.9

10.4

11.1

11.7

9.1

9.8

10.4

11.2

12.0

12.6

13.4

14.2

10.6

11.5

12.2

13.2

14.1

14.8

15.7

16.6

12.2

13.2

14.0

15.1

16.2

17.0

18.1

19.1

13.8

14.9

15.8

17.1

18.2

19.1

20.4

21.5


Width (Inches)

	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120
6	0.0	0.1	0.2	0.2	0.3	0.4	0.4	0.5	0.6	0.6	0.7	0.8	0.8	0.9	1.0	1.0	1.1	1.2	1.2	1.3
12	0.1	0.3	0.5	0.7	0.9	1.1	1.3	1.5	1.7	1.9	2.1	2.3	2.5	2.7	2.9	3.1	3.3	3.5	3.7	3.9
18	0.2	0.5	0.8	1.1	1.4	1.7	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.5	4.8	5.1	5.4	5.7	6.0
24	0.3	0.8	1.2	1.7	2.1	2.5	3.0	3.4	3.9	4.3	4.8	5.2	5.7	6.1	6.5	7.0	7.4	7.9	8.3	8.8
30	0.4	1.0	1.6	2.2	2.7	3.3	3.9	4.5	5.0	5.6	6.2	6.8	7.3	7.9	8.5	9.1	9.6	10.2	10.8	11.4
36	0.5	1.2	1.9	2.5	3.2	3.9	4.6	5.3	5.9	6.6	7.3	8.0	8.7	9.3	10.0	10.7	11.4	12.1	12.7	13.4
42	0.6	1.4	2.3	3.1	3.9	4.7	5.5	6.4	7.2	8.0	8.8	9.6	10.5	11.3	12.1	12.9	13.7	14.6	15.4	16.2
48	0.7	1.7	2.6	3.6	4.5	5.5	6.4	7.4	8.3	9.3	10.2	11.2	12.1	13.1	14.0	15.0	16.0	16.9	17.9	18.8
54	0.8	1.8	2.9	4.0	5.0	6.1	7.1	8.2	9.2	10.3	11.4	12.4	13.5	14.5	15.6	16.6	17.7	18.8	19.8	20.9
60	0.9	2.1	3.3	4.5	5.7	6.9	8.1	9.3	10.5											
66	1.0	2.3	3.7	5.0	6.3	7.6	9.0	10.3	11.6											
72	1.1	2.5	3.9	5.4	6.8	8.2	9.7	11.1	12.5											


Water Penetration

AMCA defines the beginning point of water penetration as the free area velocity at the intersection of a simple linear regression of test data and the line of 0.01 ounces of water per square foot of free area and is measured through a 48" x 48" louver during a 15 minute period. The AMCA water penetration test provides a method for comparing louver models and designs as to their efficiency in resisting the penetration of rainfall under specific lab conditions. We recommend that intake louvers are selected with a reasonable margin of safety below the beginning point of water penetration in order to avoid unwanted penetration during severe storm conditions.

Beginning Point of Water Penetration = 868 fpm




Pressure Loss




Louver Test Size = 48" x 48" (1219 x 1219)


Pressure loss tested in accordance with Figure 5.5 of AMCA


Standard 500-L. Data corrected to standard air density.




Supplemental Options









Hinge and SubframeRight or Left Side Option Available

Stucco Flange

Head and Sill Available